VOORHEES MIDDLE SCHOOL HOLLY OAK DRIVE, VOORHEES, NJ 08043 Athletic Team Parent/Guardian Permission Form

Name of Student	me of Student Telephone					
Date of Birth	e of Birth Homeroom Teacher					
Address						
DIRECTIONS FOR ATH students to participate in			The following forms must be completed in order for ims.			
*Preparticipation Physi taken to the Physician fo			ust be completed and signed by Parent/Guardian and			
			must be completed by the examining licensed provider VITHIN 365 days BEFORE the first day of try-outs			
*Concussion Acknowle	dgement Form & Su	dden Cardiac Death Pa	mphlet sign-off Sheet: Signed by parent & student			
HEALTH HISTORY UPD on file. Update must be			for additional sports provided a current physical is of each sport.			
To be Completed by Pa		•	•			
This is to certify that we, the	undersigned, have give (sport) on the Voorhees	en Interscholastic/Intramural t	(name) permission to playeam.			
As the parent/guardian we r responsibility for our child's		physical hazards connected	d with this activity and are willing to assume absolutely all			
Date	Parent/Guardia	n Signature				
To be Completed by St	udent					
 I shall report regula I shall be responsil 	er of the group or squad arly to all scheduled prac ble for all athletic supplie	es issued to me and shall re				
Date	Student's Signa	ature				
Fall Spor Boys/Girl:		Winter Sports Boys/Girls Basketball	Spring Sports Boys/Girls Track			

Cheerleading

Wrestling

Baseball

Softball

6/2015

Boys/Girls Soccer Field Hockey

Voorhees Middle School

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute annually this educational fact to all student athletes and obtain a signed acknowledgement from each parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Quick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

Voorhees Middle School

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- **Report it**. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- **Step 1**: Completion of a full day of normal cognitive activities (school day, studying for tests, watching practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms, next day advance.
- **Step 2:** Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- **Step 3:** Sport-specific exercise including skating, and/or running: no head impact activities. The objective of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- **Step 5:** Following medical clearance (consultation between school health care personnel and student-athlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- **Step 6:** Return to play involving normal exertion or game activity.

www.cdc.gov/concussion/sports/in	www.nfhs.com		
www.ncaa.org/health-safety	www.bianj.org	www.atsnj.org	
Signature of Student-Athlete	Print Student-Athlete's Name		Date
Signature of Parent/Guardian	Print Parent/Gu	ordion's Nama	Date

Website Resources

- Sudden Death in Athletes http://tinyurl.com/m2gjmvq
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics New Jersey Chapter

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 (p) 609-842-0014 (f) 609-842-0015 www.aapnj.org



American Heart Association

1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org



New Jersey Department of Education

PO Box 500 Trenton, NJ 08625-0500 (p) 609-292-5935 www.state.nj.us/education/



New Jersey Department of Health

P. O. Box 360 Trenton, NJ 08625-0360 (p) 609-292-7837 www.state.nj.us/health




Lead Author: American Academy of Pediatrics, New Jersey Chapter

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

Additional Reviewers: NJ Department of Education, NJ Department of Health and Senior Services, American Heart Association/New Jersey Chapter, NJ Academy of Family Practice, Pediatric Cardiologists, New Jersey State School Nurses

Revised 2014: Nancy Curry, EdM; Christene DeWitt-Parker, MSN, CSN, RN; Lakota Kruse, MD, MPH; Susan Martz, EdM; Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD



American Academy of Pediatrics dedicated to the health of all children*





Sudden death in young athletes between the ages of 10 and 19 is very rare. What, if anything, can be done to prevent this kind of tragedy?

What is sudden cardiac death in the young athlete?

Sudden cardiac death is the result of an unexpected failure of proper heart function, usually (about 60% of the time) during or immediately after exercise without trauma. Since the heart stops pumping adequately, the athlete quickly collapses, loses consciousness, and ultimately dies unless normal heart rhythm is restored using an automated external defibrillator (AED).

How common is sudden death in young athletes?

Sudden cardiac death in young athletes is very rare. About 100 such deaths are reported in the United States per year. The chance of sudden death occurring to any individual high school athlete is about one in 200,000 per year.

Sudden cardiac death is more common: in males than in females; in football and basketball than in other sports; and in African-Americans than in other races and ethnic groups.

What are the most common causes?

Research suggests that the main cause is a loss of proper heart rhythm, causing the heart to quiver instead of pumping blood to the brain and body. This is called ventricular fibrillation (ven-TRICK-you-lar fibroo-LAY-shun). The problem is usually caused by one of several cardiovascular abnormalities and electrical diseases of the heart that go unnoticed in healthy-appearing athletes.

The most common cause of sudden death in an athlete is hypertrophic cardiomyopathy (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) also called HCM. HCM is a disease of the heart, with abnormal thickening of the heart muscle, which can cause serious heart rhythm problems and blockages to blood flow. This genetic disease runs in families and usually develops gradually over many years.

The second most likely cause is congenital (con-JEN-it-al) (i.e., present from birth) abnormalities of the coronary

arteries. This means that these blood vessels are connected to the main blood vessel of the heart in an abnormal way. This differs from blockages that may occur when people get older (commonly called "coronary artery disease," which may lead to a heart attack).

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- \bullet Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing).

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

PPE. However, these procedures may be expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting events?

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

N.J.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any school-sponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
- A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 1½ minute walk from any location and that a call is made to activate 911 emergency system while the AED is being retrieved.

State of New Jersey DEPARTMENT OF EDUCATION

$\frac{\textbf{Sudden Cardiac Death Pamphlet}}{\textbf{Sign-Off Sheet}}$

Name of School District:
Name of Local School:
I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet.
Student Signature:
Parent or Guardian Signature:
Date:

SPORTS-RELATED EYE INJURIES:

AN EDUCATIONAL FACT SHEET FOR PARENTS



Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury. According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Prevention of Sports-Related Eye Injuries

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.² Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.³

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tips-buying-sports-eye-protectors, and http://www.preventblindness.org/ recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

¹ National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

² Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

- Most Common Types of Eye Injuries
 - ◆ Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eye structures and/or lead to vision loss.
 - ◆ Corneal abrasions: Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- ◆ Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.⁴
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness;
- Sunken eye;
- Double vision:
- Severe eyelid and facial swelling;
- Difficulty tracking;

Signs or Symptoms of an Eye Injury



- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a Sports-Related Eye Injury Occurs

If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

Return to Play and Sports

example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition, students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.

SCHOLASTIC STUDENT-ATHLETE SAFETY ACT INFORMATION FACT SHEET FOR PARENTS/GUARDIANS

Prior to participation on a school-sponsored interscholastic or intramural athletic team or squad, each student-athlete in grades six through 12 must present a completed pre-participation physical evaluation (PPE) form to the designated school staff member. Important information regarding the PPE is provided below, and you should feel free to share with your child's medical home health care provider.

- 1. The PPE may ONLY be completed by a licensed physician, advanced practice nurse (APN) or physician assistant (PA) that has completed the Student-Athlete Cardiac Assessment professional development module. It is recommended that you verify that your medical provider has completed this module before scheduling an appointment for a PPE.
- 2. The required PPE must be conducted within 365 days prior to the first official practice in an athletic season. The PPE form is available in English and Spanish at http://www.state.nj.us/education/students/safety/health/records/athleticphysicalsform.pdf.
- 3. The parent/guardian must complete the *History Form* (page one), and insert the date of the required physical examination at the top of the page.
- 4. The parent/guardian must complete *The Athlete with Special Needs: Supplemental History Form* (page two), if applicable, for a student with a disability that limits major life activities, and insert the date of the required physical examination on the top of the page.
- 5. The licensed physician, APN or PA who performs the physical examination must complete the remaining two pages of the PPE, and insert the date of the examination on the *Physical Examination Form* (page three) and *Clearance Form* (page four).
- 6. The school district must provide written notification to the parent/guardian, signed by the school physician, indicating approval of the student's participation in a school-sponsored interscholastic or intramural athletic team or squad based upon review of the medical report, or must provide the reason(s) for the disapproval of the student's participation.
- 7. For student-athletes that had a medical examination completed more than 90 days prior to the first official practice in an athletic season, the *Health History Update Questionnaire* (HHQ) form must be completed, and signed by the student's parent/guardian. The HHQ must be reviewed by the school nurse and, if applicable, the school's athletic trainer. The HHQ is available at http://www.state.nj.us/education/students/safety/health/records/HealthHistoryUpdate.pdf.

For more information, please review the *Frequently Asked Questions* which are available at http://www.state.nj.us/education/students/safety/health/services/athlete/faq.pdf. You may also direct questions to the Voorhees Middle School Nurses:

Mrs. Dougan 856-795-2025, ext. 5161 dougan@voorhees.k12.nj.us

Mrs. Mitchell 856-795-2025, ext 5186 mitchellj@voorhees.k12.nj.us

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

Name				Date of birth		
Sex Age	Grade Sc	hool		Sport(s)		
Medicines and Allergies: Pl	ease list all of the prescription and over	er-the-co	unter m	nedicines and supplements (herbal and nutritional) that you are currently	taking	
				,,		
Do you have any allergies? ☐ Medicines	☐ Yes ☐ No If yes, please id ☐ Pollens	entify sp	ecific all	lergy below. □ Food □ Stinging Insects		
Evnlain "Voe" answers helow	Circle questions you don't know the a	neware t	•			
GENERAL QUESTIONS	circle questions you don't know the a	Yes	No	MEDICAL QUESTIONS	Yes	No
	estricted your participation in sports for	163	NO	26. Do you cough, wheeze, or have difficulty breathing during or	100	110
any reason?				after exercise?		_
	dical conditions? If so, please identify emia □ Diabetes □ Infections			27. Have you ever used an inhaler or taken asthma medicine? 28. Is there anyone in your family who has asthma?		-
Other:				29. Were you born without or are you missing a kidney, an eye, a testicle		\vdash
3. Have you ever spent the nigh	t in the hospital?			(males), your spleen, or any other organ?		<u> </u>
4. Have you ever had surgery?				30. Do you have groin pain or a painful bulge or hernia in the groin area?		<u> </u>
5. Have you ever passed out or		Yes	No	31. Have you have any replace processes (mono) within the last month?		\vdash
AFTER exercise?	nearly passed out Doning of			32. Do you have any rashes, pressure sores, or other skin problems? 33. Have you had a herpes or MRSA skin infection?		+
	t, pain, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		
chest during exercise?	-1:- h - 4- (:			35. Have you ever had a hit or blow to the head that caused confusion,		
	skip beats (irregular beats) during exercise? at you have any heart problems? If so,	1		prolonged headache, or memory problems?		<u> </u>
check all that apply:	at you have any neart problems: it so,			36. Do you have a history of seizure disorder?		₩
High blood pressure	☐ A heart murmur			37. Do you have headaches with exercise?		-
☐ High cholesterol☐ Kawasaki disease	☐ A heart infection Other:			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?		
	rest for your heart? (For example, ECG/EKG,			39. Have you ever been unable to move your arms or legs after being hit or falling?		
	el more short of breath than expected			40. Have you ever become ill while exercising in the heat?		<u> </u>
during exercise?	oined coizuro?			41. Do you get frequent muscle cramps when exercising?		₩
11. Have you ever had an unexpl	t of breath more quickly than your friends			42. Do you or someone in your family have sickle cell trait or disease? 43. Have you had any problems with your eyes or vision?		┼
during exercise?	to broad more quickly than your monde			44. Have you had any eye injuries?		\vdash
HEART HEALTH QUESTIONS AB	OUT YOUR FAMILY	Yes	No	45. Do you wear glasses or contact lenses?		
	lative died of heart problems or had an udden death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?		
	ccident, or sudden infant death syndrome)?			47. Do you worry about your weight?		
	ave hypertrophic cardiomyopathy, Marfan			48. Are you trying to or has anyone recommended that you gain or		
, , ,	ght ventricular cardiomyopathy, long QT e, Brugada syndrome, or catecholaminergic			lose weight? 49. Are you on a special diet or do you avoid certain types of foods?		1
polymorphic ventricular tach	/cardia?			50. Have you ever had an eating disorder?		
15. Does anyone in your family h implanted defibrillator?	ave a heart problem, pacemaker, or			51. Do you have any concerns that you would like to discuss with a doctor?		t
•	d unexplained fainting, unexplained			FEMALES ONLY		
seizures, or near drowning?				52. Have you ever had a menstrual period?		
BONE AND JOINT QUESTIONS		Yes	No	53. How old were you when you had your first menstrual period?		
 Have you ever had an injury that caused you to miss a practice. 	to a bone, muscle, ligament, or tendon actice or a game?			54. How many periods have you had in the last 12 months?		
	n or fractured bones or dislocated joints?			Explain "yes" answers here		
	that required x-rays, MRI, CT scan,					
20. Have you ever had a stress fi						
	you have or have you had an x-ray for neck ability? (Down syndrome or dwarfism)					
	orthotics, or other assistive device?					
23. Do you have a bone, muscle,	· · · · · · · · · · · · · · · · · · ·					
24. Do any of your joints become	painful, swollen, feel warm, or look red?					
25. Do you have any history of ju	venile arthritis or connective tissue disease	?				

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503

9-2681/0410

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Exam _						
Name				Date of birth		
Sex	Age	Grade	School	Sport(s)		
Type of disal Date of disal						
3. Classification						
		ease, accident/trauma, other)			
5. List the spor	ts you are intere	ested in playing				
6. Do you regul	arly use a hrace	e, assistive device, or prosthe	rtic?		Yes	No
		e or assistive device for spor				
		ssure sores, or any other ski				
		Do you use a hearing aid?	P			
10. Do you have						
11. Do you use a	ny special devi	ces for bowel or bladder fund	ction?			
12. Do you have	burning or disco	omfort when urinating?				
13. Have you ha	d autonomic dys	sreflexia?				
14. Have you ev	er been diagnos	ed with a heat-related (hype	rthermia) or cold-related (hypothermia) illne	ess?		
15. Do you have	muscle spastici	ity?				
16. Do you have	frequent seizur	es that cannot be controlled	by medication?			
Explain "yes" an	swers here					
Please indicate i	you nave ever	had any of the following.			- V	
Atlantoaxial insta	hility				Yes	No
X-ray evaluation		inetahility				
Dislocated joints						
Easy bleeding	(more than one)	1				
Enlarged spleen						
Hepatitis						
Osteopenia or os	teonorosis					
Difficulty control						
Difficulty controll						
Numbness or tin		hands				
Numbness or tin						
Weakness in arm						
Weakness in legs						
Recent change in						
Recent change in	ability to walk					
Spina bifida						
Latex allergy						
Explain "yes" an	swers here					
_						_
I hereby state tha	at, to the best o	of my knowledge, my answ	ers to the above questions are complete	and correct.		
Signature of athlete			Signature of parent/guardian		Date	

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

_____ Date of birth ___

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

Name

PHYSICIAN REMINDERS					
Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious?					
 Do you feel safe at your home or residence? Have you ever tried cigarettes, chewing tobacco, snuff, or dip? 					
 During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? 					
• Have you ever taken anabolic steroids or used any other performance supplement?					
 Have you ever taken any supplements to help you gain or lose weight or improve your Do you wear a seat belt, use a helmet, and use condoms? 	performance?				
2. Consider reviewing questions on cardiovascular symptoms (questions 5–14).					
EXAMINATION					
Height Weight Male	☐ Female				
BP / (/) Pulse Vision	R 20/	L 20/ Corrected Y N			
MEDICAL	NORMAL	ABNORMAL FINDINGS			
Appearance Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency)					
Eyes/ears/nose/throat					
Pupils equal Hearing					
Lymph nodes					
Heart ^a					
Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI)					
Pulses • Simultaneous femoral and radial pulses					
Lungs Abdomen					
Genitourinary (males only) ^b					
Skin					
HSV, lesions suggestive of MRSA, tinea corporis Neurologic c					
MUSCULOSKELETAL					
Neck					
Back					
Shoulder/arm					
Elbow/forearm Writet/hond/fineare					
Wrist/hand/fingers Hip/thigh					
Knee					
Leg/ankle					
Foot/toes					
Functional • Duck-walk, single leg hop					
^a Consider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam.					
Consider GU exam if in private setting. Having third party present is recommended. Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion.					
☐ Cleared for all sports without restriction					
$\hfill\Box$ Cleared for all sports without restriction with recommendations for further evaluation or treatment of the commendation of the commenda	ent for				
□ Not cleared					
□ Pending further evaluation					
□ For any sports					
□ For certain sports					
Reason					
Recommendations					
I have examined the above-named student and completed the preparticipation physical evaparticipate in the sport(s) as outlined above. A copy of the physical exam is on record in my arise after the athlete has been cleared for participation, a physician may rescind the clearan	office and can be mad	de available to the school at the request of the parents. If conditions			
to the athlete (and parents/guardians).					
Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)Address		Date of exam Phone			
Signature of physician, APN, PA					

■ PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

Name	Sex D M D F Age Date of birth
☐ Cleared for all sports without restriction	
$\hfill\Box$ Cleared for all sports without restriction with recommendations for further evaluations for further evaluations are formula of the commendation of the comm	aluation or treatment for
□ Not cleared	
□ Pending further evaluation	
☐ For any sports	
☐ For certain sports	
Reason	
Recommendations	
EMERGENCY INFORMATION	
Allergies	
Other information	
Other information	
HCP OFFICE STAMP	SCHOOL PHYSICIAN:
	Reviewed on
	Reviewed on(Date)
	Approved Not Approved
	Signature:
clinical contraindications to practice and participate in the sport(s)	articipation physical evaluation. The athlete does not present apparent as outlined above. A copy of the physical exam is on record in my office its. If conditions arise after the athlete has been cleared for participation,
	ed and the potential consequences are completely explained to the athlet
Name of physician, advanced practice nurse (APN), physician assistant (PA)	Date
Address	Phone
Signature of physician, APN, PA	
Completed Cardiac Assessment Professional Development Module	
Date Signature	

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71